INDEX TO AUTHORS

B

Baudisch, Oskar. See DYER and BAUDISCH, 483

Bauman, L. See PICKENS, SPANNER, and BAUMAN, 505

Beck, H. H. See SUPPLEE, HANFORD, DORCAS, and BECK, 687

de Beer, Edwin J., and Wilson, D. Wright. The inorganic composition of the parotid saliva of the dog and its relation to the composition of the serum, 671

Berggren, Ruth E. L. The application of the Fiske-Subbarow colorimetric method to the determination of phosphorus in casein, 461

—. The phosphorus content of casein. Preliminary paper, 451

Bing, Franklin C. Purification of benzidine, and an improved reagent, for estimating hemoglobin in blood, 387

Bischoff, Fritz, and Long, M. Louisa. The effect of adrenalin upon the free muscle sugar and total carbohydrate, 743

Bloor, W. R. Diet and the blood lipids, 633

Boyd, Oscar F., Crum, Carlos L., and Lyman, J. F. The absorption of calcium soaps and the relation of dietary fat to calcium utilization in the white rat, 29

C

Calvery, Herbert O. Some chemical investigations of embryonic metabolism. VI. Studies of some of the amino acids of the yolk, white, embryo, and shell membranes during development of the hen's egg, 297

Campbell, R. W. See DILL, EDWARDS, FLORKIN, and CAMPBELL, 143

Cavett, J. W. A modification of the Van Slyke nitrogen distribution method, 335

Chambers, William H. See DANN and CHAMBERS, 413

Christman, A. A., and Ravwitch, Sarah. The determination of uric acid in human urine, 115

Cooper, Mary A. See QUICK, 189

Crum, Carlos L. See BOYD, CRUM, and LYMAN, 29

D

Dann, Margaret, and Chambers, William H. Glycogenesis from glucose administered to the fasting dog, 413

Davis, J. E., and **van Dyke, H. B.** The measurement of the oxygen consumption of small animals, 73

Degering, Edward F. Catalytic oxidation of the carbohydrates and related compounds by oxygen in the presence of iron pyrophosphates. II. Methyl alcohol, formaldehyde, formic acid, and sodium formate, 409

Dill, D. B., Edwards, H. T., Florkin, Marcel, and **Campbell, R. W.** Properties of dog blood, 143

Dillon, Robert T. See Levene, Raymond, and Dillon, 699

Dorcas, M. J. See Supplee, Hanford, Dorcas, and Beck, 687

Dyer, Elizabeth, and **Baudisch, Oskar.** A new color test for cysteine, 483

van Dyke, H. B. See Davis and van Dyke, 73

E

Edwards, H. T. See Dill, Edwards, Florkin, and Campbell, 143

Elvehjem, C. A., and **Hart, E. B.** The necessity of copper as a supplement to iron for hemoglobin formation in the pig, 363

F

Ferguson, J. K. W. A method to measure the tension of carbon dioxide in small amounts of blood, 301

—. See Irving, Foster, and Ferguson, 95

Fisher, Jennie D. See Halliday, 371

Florkin, Marcel. See Dill, Edwards, Florkin, and Campbell, 143

Foster, G. L. See Leland and Foster, 165

—. See Schockaert and Foster, 89

Foster, H. C. See Irving, Foster, and Ferguson, 95

G

Glick, David, and **King, C. G.** Relationships between the structure of organic compounds and their inhibiting effect upon liver esterase. Resemblance to a lyotropic series of anions, 477

Green, Arda Alden. Studies in the physical chemistry of the proteins. X. The solubility of hemoglobin in solutions of chlorides and sulfates of varying concentration, 47

Greenstein, Jesse P. Studies of the peptides of trivalent amino acids. II. Titration constants of tyrosyl-tyrosine and of glycyl-tyrosine, 465

H

Halliday, Nellie. Effect of heat at varying concentrations of hydrogen ion on vitamin G (B_2) in protein-free milk, 371

Hamilton, T. S. See Smuts, Mitchell, and Hamilton, 283

Hanford, Zaida M. See SUPPLEE, HANFORD, DORCAS, and BECK, 687
Hanke, Martin E. See VAN SLYKE and HANKE, 569, 587
Hannon, R. Roger. See MCCLELLAN and HANNON, 327
Harris, Stanton A. See LEVENE and HARRIS, 755
Hart, E. B. See ELVEHJEM and HART, 363
Hart, Merrill C., and **Heyl, Frederick W.** Spinasterol and some of its esters, 311
Heidelberger, Michael, and **Kendall, Forrest E.** Some physicochemical properties of specific polysaccharides, 127
Heyl, Frederick W. See HART and HEYL, 311
Hill, Edgar S. The spontaneous oxidation of dialuric acid. III. The oxidation of amino acids by dialuric acid, 197
Horsfall, F. L., Jr. See LONG and HORSFALL, 715

I

Irving, Laurence, Foster, H. C., and **Ferguson, J. K. W.** The carbon dioxide dissociation curve of living mammalian muscle, 95

K

Kemmerer, A. R. See ELVEHJEM and HART, 363
Kendall, Forrest E. See HEIDELBERGER and KENDALL, 127
King, C. G. See GLICK and KING, 477
King, Earl J. See MORGAN and KING, 613
Kocher, R. A., and **Torbert, Harold C.** The effect of urea ingestion on the nitrogen partition of the urine at endogenous nitrogen level, 427
Koehler, Alfred E. A chamber for measuring the oxygen consumption of animals, 67
Kuttner, Theodore, and **Lichtenstein, Louis.** Micro colorimetric studies. III. Estimation of organically bound phosphorus. A system of analysis of phosphorus compounds in blood, 661

L

Leland, Jessica P., and **Foster, G. L.** A method for the determination of thyroxine in the thyroid, 165
Levene, P. A. Concentration of vitamins B_1 and B_2, 317
— and **Harris, Stanton A.** The ribosephosphoric acid from xanthylic acid, 755
— and **Marker, R. E.** Configurational relationship of hydrocarbons. IV. Optical rotations of hydrocarbons of the isoamyl series. The configurational relationship of substituted carbonic acids containing an isobutyl and an isoamyl group to those of the corresponding normal carbonic acids. 1

Levene, P. A., and **Marker, R. E.** On Walden inversion. XVII. Optical rotations in homologous series of carboxylic acids, 153

—, **Raymond, Albert L.,** and **Dillon, Robert T.** Glucoside formation in the commoner monoses, 699

Lewis, Howard B. See Silberman and Lewis, 491

Lewis, Robert C. See Rymer and Lewis, 441

Lichtenstein, Louis. See Kuttner and Lichtenstein, 661

Link, Karl Paul. See Niemann and Link, 203

—. See Schoeffel and Link, 213

Liu, Shih Hao. See Van Slyke, Sendroy, and Liu, 531, 547

Long, C. N. H., and **Horsfall, F. L., Jr.** The recovery process after exercise in the mammal. II. The conversion of infused *d*-lactic acid into muscle glycogen, 715

Long, M. Louisa. See Bischoff and Long, 743

Lyman, J. F. See Boyd, Crum, and Lyman, 29

M

Marker, R. E. See Levene and Marker, 1, 153

Marsh, Gordon. Winkler titration in methylene blue media, 25

McClellan, Walter S., and **Hannon, R. Roger.** Clinical calorimetry. XLVIII. Nitrogen equilibrium with a low protein diet, 327

Mitchell, H. H., and **Smuts, D. B.** The amino acid deficiencies of beef, wheat, corn, oats, and soy beans for growth in the white rat, 263

—. See Smuts, Mitchell, and Hamilton, 283

Morgan, J. C., and **King, Earl J.** A method for the micro gravimetric determination of silica in tissue, 613

Morgulis, Sergius, and **Pinto, Sherman.** Studies on blood glycolysis. I. Effect of arsenate, 621

N

Navez, Albert E., and **Rubenstein, Boris B.** Starch hydrolysis as affected by light. II, 645

Nicolet, Ben H. The mechanism of sulfur lability in cysteine and its derivatives. II. The addition of mercaptan to benzoylaminocinnamic acid derivatives, 389

Niemann, Carl, and **Link, Karl Paul.** Synthesis of the hexuronic acids. I. The synthesis of *dl*-galacturonic acid from mucic acid, 203

Nunn, Margaret J. See Halliday, 371

P

Phillips, Thomas G. The determination of sugars in plant extracts, 735

Pickens, M., Spanner, G. O., and **Bauman, L.** The composition of gall stones and their solubility in dog bile, 505

Pinto, Sherman. See MORGULIS and PINTO, 621

Powell, Maude. The metabolism of tricaprin, 43

Preisler, Doris B. See PREISLER and PREISLER, 181

Preisler, Paul W., and **Preisler, Doris B.** The mechanism of the production of thiol acids (R-S-H) and sulfonic acids ($R\text{-}SO_2\text{-}H$) from dithio acids (R-S-S-R). II. The action of mercuric salts, 181

Q

Quick, Armand J. On the chemistry of the conjugation of benzoic acid, 189

R

Ravwitch, Sarah. See CHRISTMAN and RAVWITCH, 115

Raymond, Albert L. See LEVENE, RAYMOND, and DILLON, 699

Reiner, H. Kopp, and **Reiner, L.** The fractional precipitation of serum globulin at different hydrogen ion activities. Experiments with globulin obtained from normal and immune (antipneumococcus) horse serum, 345

Reiner, L. See REINER and REINER, 345

Rubenstein, Boris B. See NAVEZ and RUBENSTEIN, 645

Rymer, Marion R., and **Lewis, Robert C.** Studies on the calcium content of human blood corpuscles, 441

S

Schaible, Philip J. Plasma lipids in lactating and non-lactating animals, 79

Schockaert, J. A., and **Foster, G. L.** Influence of anterior pituitary substances on the total iodine content of the thyroid gland in the young duck, 89

Schoeffel, Eugene, and **Link, Karl Paul.** The preparation of *d*-mannuronic acid lactone, 213

Sendroy, Julius, Jr. Manometric analysis of gas mixtures. VI. Carbon monoxide by absorption with blood, 599

—. See VAN SLYKE and SENDROY, 509

—. See VAN SLYKE, SENDROY, and LIU, 531, 547

Silberman, Alfred K., and **Lewis, Howard B.** The tyrosine content of cocoons of various species, 491

Sinclair, Robert Gordon. The metabolism of the phospholipids. IV. The rate of phospholipid metabolism with special reference to the question of the intermediary rôle of the phospholipids in fat metabolism, 393

Smuts, D. B., Mitchell, H. H., and **Hamilton, T. S.** The relation between dietary cystine and the growth and cystine content of hair in the rat, 283

—. See MITCHELL and SMUTS, 263

Spanner, G. O. See PICKENS, SPANNER, and BAUMAN, 505

Supplee, G. C., Hanford, Zaida M., Dorcas, M. J., and **Beck, H. H.** Irradiated milk: the amount of vitamin D and its rate of formation, 687

T

Todd, W. R. See ELVEHJEM and HART, 363

Torbert, Harold C. See KOCHER and TORBERT, 427

V

Van Slyke, Donald D., and **Hanke, Martin E.** Manometric analysis of gas mixtures. IV. Hydrogen and oxygen by combustion, 569

— and —. V. Hydrogen by absorption with Paal's picrate-palladium solution, 587

—, and **Sendroy, Julius, Jr.** Manometric analysis of gas mixtures. I. The determination, by simple absorption, of carbon dioxide, oxygen, and nitrogen in mixtures of these gases, 509

Van Slyke, Donald D., Sendroy, Julius, Jr., and **Liu, Shih Hao.** Manometric analysis of gas mixtures. II. Carbon dioxide by the isolation method, 531

—, —, and —. III. Manometric determination of carbon dioxide tension and pH of blood, 547

W

Wilson, D. Wright. See DE BEER and WILSON, 671

—. See WOLFF and WILSON, 495

Witzemann, Edgar J. The oxidation of metabolites. I. The mechanism of the oxidation of α-hydroxy fatty acids with potassium permanganate, 219

—. II. The shift in the point of rupture in a given α-hydroxy fatty acid in the presence or absence of free alkali, 247

Wolff, William A., and **Wilson, D. Wright.** Anserine in mammalian skeletal muscle, 495

INDEX TO SUBJECTS

A

Absorption:
Calcium soaps (Boyd, Crum, and Lyman) 29

Adrenalin:
Carbohydrate, total, muscle, effect (Bischoff and Long) 743
Sugar, free, muscle, effect (Bischoff and Long) 743

Amino acid(s):
Beef, deficiency, growth effect (Mitchell and Smuts) 263
Corn, deficiency, growth effect (Mitchell and Smuts) 263
Egg embryo, during egg development (Calvery) 297
— white, during egg development (Calvery) 297
— yolk, during egg development (Calvery) 297
Egg-shell membranes, during egg development (Calvery) 297
Oats, deficiency, growth effect (Mitchell and Smuts) 263
Oxidation by dialuric acid (Hill) 197

Amino acid (s)—*continued:*
Soy bean, deficiency, growth effect (Mitchell and Smuts) 263
Trivalent, peptides. II (Greenstein) 465
Wheat, deficiency, growth effect (Mitchell and Smuts) 263

Anserine:
Muscle, skeletal, mammalian (Wolff and Wilson) 495

Apparatus:
Oxygen consumption measurement (Koehler) 67
— — —, small animals (Davis and van Dyke) 73

Arsenate:
Blood glycolysis, effect (Morgulis and Pinto) 621

B

Bean:
Soy, amino acid deficiency, growth effect (Mitchell and Smuts) 263

Beef:
Amino acid deficiency, growth effect (Mitchell and Smuts) 263

Benzidine:
Hemoglobin determination, blood, reagent (Bing) 387
Purification (Bing) 387
Benzoic acid:
Conjugation (Quick) 189
Benzoylaminocinnamic acid:
Derivatives, mercaptan addition (Nicolet) 389
Bile:
Gall stone solubility in (Pickens, Spanner, and Bauman) 505
Blood:
Carbon dioxide tension, determination, manometric (Van Slyke, Sendroy, and Liu) 547
— — —, measurement (Ferguson) 301
— monoxide determination by absorption with (Sendroy) 599
Glycolysis. I (Morgulis and Pinto) 621
—, arsenate effect (Morgulis and Pinto) 621
Hemoglobin determination, benzidine reagent (Bing) 387
Lipids, diet and (Bloor) 633
Phosphorus, organic, determination, colorimetric, micro (Kuttner and Lichtenstein) 661
Properties, dog (Dill, Edwards, Florkin, and Campbell) 143
Blood cell:
Calcium (Rymer and Lewis) 441
Blood plasma:
Lipids, lactating and non-lactating animals (Schaible) 79
Blood serum:
Globulin, antipneumococcus, fractional precipitation, varying hydrogen ion concentration (Reiner and Reiner) 345
—, fractional precipitation, varying hydrogen ion concentration (Reiner and Reiner) 345
Hydrogen ion concentration determination, manometric (Van Slyke, Sendroy, and Liu) 547
Saliva, parotid, inorganic constituents, and, relation (de Beer and Wilson) 671

C

Calcium:
Blood cells (Rymer and Lewis) 441
Soaps, absorption (Boyd, Crum, and Lyman) 29
Utilization, dietary fat, relation (Boyd, Crum, and Lyman) 29
Calorimetry:
Clinical. XLVIII (McClellan and Hannon) 327
Caprin:
Tri-, metabolism (Powell) 43

Carbohydrate(s):
Oxidation, catalytic. II (DEGERING) 409
-Related compounds, oxidation, catalytic. II (DEGERING) 409
Total, muscle, adrenalin effect (BISCHOFF and LONG) 743

Carbon dioxide:
Blood, tension determination, manometric (VAN SLYKE, SENDROY, and LIU) 547
—, — measurement (FERGUSON) 301
Determination by absorption, gas mixtures (VAN SLYKE and SENDROY) 509
—, isolation method, gas mixtures (VAN SLYKE, SENDROY, and LIU) 531
Dissociation curve, muscle, mammalian, living (IRVING, FOSTER, and FERGUSON) 95
Gas mixtures, determination by absorption (VAN SLYKE and SENDROY) 509
— —, —, isolation method (VAN SLYKE, SENDROY, and LIU) 531
Tension, determination, manometric, blood (VAN SLYKE, SENDROY, and LIU) 547
— measurement, blood (FERGUSON) 301

Carbon monoxide:
Determination by absorption with blood, gas mixtures (SENDROY) 599
Gas mixtures, determination by absorption with blood (SENDROY) 599

Carbonic acids:
Substituted, with isoamyl group, corresponding normal carbonic acids, configurational relationship (LEVENE and MARKER) 1
—, — isobutyl group, corresponding normal carbonic acids, configurational relationship (LEVENE and MARKER) 1

Carboxylic acids:
Optical rotations, homologous series (LEVENE and MARKER) 153

Casein:
Phosphorus (BERGGREN) 451
— determination, Fiske-Subbarow colorimetric method (BERGGREN) 461

Catalysis:
Iron pyrophosphates, carbohydrates and related compounds, oxidation. II (DEGERING) 409

Chemical constitution:
Carbonic acids, substituted, with isoamyl group, corresponding normal carbonic acids, relation (LEVENE and MARKER) 1

Chemical constitution—*continued:*
Carbonic acids, substituted, with isobutyl group, corresponding normal carbonic acids, relation (LEVENE and MARKER) 1
Hydrocarbons. IV (LEVENE and MARKER) 1
Organic compounds and liver esterase, inhibiting effect, relation (GLICK and KING) 477
Chloride:
Solutions, hemoglobin solubility (GREEN) 47
Cinnamic acid:
Benzoylamino-, derivatives, mercaptan addition (NICOLET) 389
Cocoon:
Tyrosine (SILBERMAN and LEWIS) 491
Copper:
Hemoglobin formation, iron supplement (ELVEHJEM and HART) 363
Corn:
Amino acid deficiency, growth effect (MITCHELL and SMUTS) 263
Cysteine:
Color test (DYER and BAUDISCH) 483
Sulfur lability. II (NICOLET) 389
Cystine:
Diet, hair cystine, relation (SMUTS, MITCHELL, and HAMILTON) 283
—, — growth, relation (SMUTS, MITCHELL, and HAMILTON) 283
Cystine—*continued:*
Hair, cystine in diet, relation (SMUTS, MITCHELL, and HAMILTON) 283

D

Dialuric acid:
Amino acid oxidation by (HILL) 197
Oxidation, spontaneous. III (HILL) 197
Diet:
Blood lipids and (BLOOR) 633
Cystine in, hair cystine, relation (SMUTS, MITCHELL, and HAMILTON) 283
— —, — growth, relation (SMUTS, MITCHELL, and HAMILTON) 283
Fat in, calcium utilization, relation (BOYD, CRUM, and LYMAN) 29
Protein-low, nitrogen equilibrium (MCCLELLAN and HANNON) 327
Dissociation curve:
Carbon dioxide, muscle, mammalian, living (IRVING, FOSTER, and FERGUSON) 95
Dithio acids:
Sulfonic and thiol acids, production by mercuric salts (PREISLER and PREISLER) 181
— — — —, production mechanism. II (PREISLER and PREISLER) 181
Thiol and sulfonic acids, production by mercuric salts (PREISLER and PREISLER) 181

Dithio acids—*continued:*
Thiol and sulfonic acids, production mechanism. II (PREISLER and PREISLER) 181

E

Egg:
Embryo, amino acids, during egg development (CALVERY) 297
White, amino acids, during egg development (CALVERY) 297
Yolk, amino acids, during egg development (CALVERY) 297

Egg-shell:
Membranes, amino acids, during egg development (CALVERY) 297

Embryo:
Egg, amino acids, during egg development (CALVERY) 297
Metabolism. VI (CALVERY) 297

Enzyme:
See also Esterase.

Esterase:
Liver, inhibition, and organic compounds, chemical constitution, relation (GLICK and KING) 477

Exercise:
d-Lactic acid conversion to muscle glycogen (LONG and HORSFALL) 715
Recovery process, mammal. II (LONG and HORSFALL) 715

F

Fasting:
Glycogenesis from glucose administration (DANN and CHAMBERS) 413

Fat:
Dietary, calcium utilization, relation (BOYD, CRUM, and LYMAN) 29
Metabolism, phospholipid rôle (SINCLAIR) 393

Fatty acid(s):
α-Hydroxy, oxidation, potassium permanganate (WITZEMANN) 219
—, shift in point of rupture, alkali effect (WITZEMANN) 247

Fiske-Subbarow:
Phosphorus determination, colorimetric, casein (BERGGREN) 461

Formaldehyde:
Oxidation, catalytic (DEGERING) 409

Formic acid:
Oxidation, catalytic (DEGERING) 409

G

***dl*-Galacturonic acid:**
Synthesis from mucic acid (NIEMANN and LINK) 203

Gall stone:
Composition (PICKENS, SPANNER, and BAUMAN) 505
Solubility, bile, dog (PICKENS, SPANNER, and BAUMAN) 505

Gas:
Mixtures, carbon dioxide determination by absorption (Van Slyke and Sendroy) 509
—, — — — by isolation (Van Slyke, Sendroy, and Liu) 531
—, — monoxide determination by absorption with blood (Sendroy) 599
—, hydrogen determination by absorption, Paal's picrate-palladium solution (Van Slyke and Hanke) 587
—, — — — combustion (Van Slyke and Hanke) 569
—, manometric analysis. I (Van Slyke and Sendroy) 509
II (Van Slyke, Sendroy, and Liu) 531
III (Van Slyke, Sendroy, and Liu) 547
IV (Van Slyke and Hanke) 569
V (Van Slyke and Hanke) 587
VI (Sendroy) 599
—, nitrogen determination by absorption (Van Slyke and Sendroy) 509
—, oxygen determination by absorption (Van Slyke and Sendroy) 509
—, — — — combustion (Van Slyke and Hanke) 569

Globulin:
Blood serum, antipneumococcus, fractional precipitation, varying hydrogen ion concentration (Reiner and Reiner) 345
Blood serum, fractional precipitation, varying hydrogen ion concentration (Reiner and Reiner) 345

Glucose:
Glycogenesis, fasting dog (Dann and Chambers) 413

Glucoside:
Monoses, formation from (Levene, Raymond, and Dillon) 699

Glycogen:
Muscle, from *d*-lactic acid, exercise effect (Long and Horsfall) 715

Glycogenesis:
Glucose, fasting dog (Dann and Chambers) 413

Glycolysis:
Blood. I (Morgulis and Pinto) 621
—, arsenate effect (Morgulis and Pinto) 621

Glycyl-tyrosine:
Titration constants (Greenstein) 465

Growth:
Amino acid deficiency, beef, effect (Mitchell and Smuts) 263
— — —, corn, effect (Mitchell and Smuts) 263
— — —, oats, effect (Mitchell and Smuts) 263
— — —, soy bean, effect (Mitchell and Smuts) 263

Growth—*continued:*
Amino acid deficiency, wheat, effect (MITCHELL and SMUTS) 263

H

Hair:
Cystine, cystine in diet, relation (SMUTS, MITCHELL, and HAMILTON) 283
Growth, cystine in diet, relation (SMUTS, MITCHELL, and HAMILTON) 283
Heat:
Vitamin G, milk, protein-free, effect, varying hydrogen ion concentration (HALLIDAY) 371
Hemoglobin:
Blood, determination, benzidine reagent (BING) 387
Determination, blood, benzidine reagent (BING) 387
Formation, copper supplement to iron (ELVEHJEM and HART) 363
Solubility, chloride solutions (GREEN) 47
—, sulfate solutions (GREEN) 47
Hexuronic acids:
Synthesis. I (NIEMANN and LINK) 203
Hydrocarbons:
Configurational relationship. IV (LEVENE and MARKER) 1
Isoamyl series, optical rotations (LEVENE and MARKER) 1
Hydrogen:
Determination by absorption, gas mixtures, Paal's picrate-palladium solution (VAN SLYKE and HANKE) 587
— — combustion, gas mixtures (VAN SLYKE and HANKE) 569
Gas mixtures, determination by absorption, Paal's picrate-palladium solution (VAN SLYKE and HANKE) 587
— —, — — combustion (VAN SLYKE and HANKE) 569
Hydrogen ion concentration:
Blood serum, determination, manometric (VAN SLYKE, SENDROY, and LIU) 547
— — globulin, fractional precipitation, effect (REINER and REINER) 345
Determination, manometric, blood serum (VAN SLYKE, SENDROY, and LIU) 547
Vitamin G, milk, protein-free, heat effect (HALLIDAY) 371
α-Hydroxy acid(s):
Fatty, oxidation, potassium permanganate (WITZEMANN) 219
—, shift in point of rupture, alkali effect (WITZEMANN) 247

I

Inorganic constituents:
Saliva, parotid, blood serum composition, relation (DE BEER and WILSON) 671

Iodine:
Thyroid gland, anterior pituitary substances, influence (SCHOCKAERT and FOSTER) 89
Iron:
Hemoglobin formation, copper supplement to (ELVEHJEM and HART) 363
Iron pyrophosphates:
Carbohydrates and related compounds, oxidations, catalyst. II (DEGERING) 409
Formaldehyde oxidation, catalyst (DEGERING) 409
Formic acid oxidation, catalyst (DEGERING) 409
Methyl alcohol oxidation, catalyst (DEGERING) 409
Sodium formate oxidation, catalyst (DEGERING) 409
Irradiation:
Milk, vitamin D, amount (SUPPLEE, HANFORD, DORCAS, and BECK) 687
—, — —, formation rate (SUPPLEE, HANFORD, DORCAS, and BECK) 687

L

Lactation:
Blood plasma lipids (SCHAIBLE) 79
Lipids, blood plasma (SCHAIBLE) 79
***d*-Lactic acid:**
Glycogen, muscle, conversion, exercise effect (LONG and HORSFALL) 715
Lactone:
d-Mannuronic acid, preparation (SCHOEFFEL and LINK) 213
Light:
Starch hydrolysis, effect. II (NAVEZ and RUBENSTEIN) 645
Lipids:
Blood, diet and (BLOOR) 633
— plasma, lactating and non-lactating animals (SCHAIBLE) 79
Liver:
Esterase, inhibition, and organic compounds, chemical constitution, relation (GLICK and KING) 477

M

***d*-Mannuronic acid:**
Lactone, preparation (SCHOEFFEL and LINK) 213
Mercaptan:
Benzoylaminocinnamic acid derivatives, addition (NICOLET) 389
Mercuric salts:
Sulfonic and thiol acids, reaction with dithio acids (PREISLER and PREISLER) 181
Thiol and sulfonic acids, reaction with dithio acids (PREISLER and PREISLER) 181
Metabolism:
Embryo. VI (CALVERY) 297

Metabolism—*continued:*
Fat, phospholipid rôle (SINCLAIR) 393
Phospholipid, rate (SINCLAIR) 393
Phospholipids. IV (SINCLAIR) 393
Tricaprin (POWELL) 43
Metabolites:
Oxidation. I (WITZEMANN) 219
II (WITZEMANN) 247
Methyl alcohol:
Oxidation, catalytic (DEGERING) 409
Methylene blue:
Winkler titration (MARSH) 25
Milk:
Irradiated, vitamin D, amount (SUPPLEE, HANFORD, DORCAS, and BECK) 687
—, — —, formation rate (SUPPLEE, HANFORD, DORCAS, and BECK) 687
Protein-free, vitamin G, heat effect, varying hydrogen ion concentration (HALLIDAY) 371
Monoses:
Glucoside formation from (LEVENE, RAYMOND, and DILLON) 699
Mucic acid:
dl-Galacturonic acid synthesis from (NIEMANN and LINK) 203
Muscle:
Glycogen, from *d*-lactic acid, exercise effect (LONG and HORSFALL) 715
Muscle—*continued:*
Mammalian, living, carbon dioxide dissociation curve (IRVING, FOSTER, and FERGUSON) 95
Skeletal, mammalian, anserine (WOLFF and WILSON) 495
Sugar, free, adrenalin effect (BISCHOFF and LONG) 743

N

Nitrogen:
Determination by absorption, gas mixtures (VAN SLYKE and SENDROY) 509
Distribution, Van Slyke method, modification (CAVETT) 335
Equilibrium, protein-low diet (MCCLELLAN and HANNON) 327
Gas mixtures, determination by absorption (VAN SLYKE and SENDROY) 509
Partition, urine, urea effect (KOCHER and TORBERT) 427

O

Oats:
Amino acid deficiency, growth effect (MITCHELL and SMUTS) 263
Optical rotation:
Carboxylic acids, homologous series (LEVENE and MARKER) 153
Hydrocarbons, isoamyl series (LEVENE and MARKER) 1
See also Walden inversion.

Organic compounds:
Chemical constitution, and liver esterase, inhibiting effect, relation (GLICK and KING) 477

Oxidation:
Amino acids, by dialuric acid (HILL) 197
Carbohydrates and related compounds, catalytic. II (DEGERING) 409
Formaldehyde, catalytic (DEGERING) 409
Formic acid, catalytic (DEGERING) 409
α-Hydroxy fatty acids, potassium permanganate (WITZEMANN) 219
Metabolites. I (WITZEMANN) 219
II (WITZEMANN) 247
Methyl alcohol, catalytic (DEGERING) 409
Sodium formate, catalytic (DEGERING) 409
Spontaneous, dialuric acid. III (HILL) 197

Oxygen:
Consumption, measurement, chamber (KOEHLER) 67
—, —, small animals (DAVIS and VAN DYKE) 73
Determination by absorption, gas mixtures (VAN SLYKE and SENDROY) 509
— — combustion, gas mixtures (VAN SLYKE and HANKE) 569

Oxygen—*continued:*
Gas mixtures, determination by absorption (VAN SLYKE and SENDROY) 509
— —, — — combustion (VAN SLYKE and HANKE) 569

P

Paal:
Picrate-palladium solution, hydrogen determination, gas mixtures (VAN SLYKE and HANKE) 587

Parotid:
Saliva, inorganic constituents, blood serum composition, relation (DE BEER and WILSON) 671

Peptide:
Amino acid, trivalent. II (GREENSTEIN) 465

Phospholipid(s):
Fat metabolism, rôle (SINCLAIR) 393
Metabolism. IV (SINCLAIR) 393
— rate (SINCLAIR) 393

Phosphoric acid:
Ribose-, xanthylic acid, formation from (LEVENE and HARRIS) 755

Phosphorus:
Casein (BERGGREN) 451
— determination, Fiske-Subbarow colorimetric method (BERGGREN) 461
Determination, casein, Fiske-Subbarow colorimetric method (BERGGREN) 461

Phosphorus—*continued:*
Organic, blood, determination, colorimetric, micro (KUTTNER and LICHTENSTEIN) 661
—, determination, colorimetric, micro (KUTTNER and LICHTENSTEIN) 661
Pituitary:
Substances, anterior, iodine, thyroid gland, influence (SCHOCKAERT and FOSTER) 89
Plant:
Extracts, sugars, determination (PHILLIPS) 735
Pneumococcus:
Antipneumococcus, blood serum globulin, fractional precipitation, varying hydrogen ion concentration (REINER and REINER) 345
Polysaccharide:
Specific, physicochemical properties (HEIDELBERGER and KENDALL) 127
Potassium permanganate:
α-Hydroxy fatty acids, oxidation (WITZEMANN) 219
Protein(s):
-Free milk, vitamin G, heat effect, varying hydrogen ion concentration (HALLIDAY) 371
-Low diet, nitrogen equilibrium (MCCLELLAN and HANNON) 327
Physical chemistry. X (GREEN) 47

R

Ribosephosphoric acid:
Xanthylic acid, formation from (LEVENE and HARRIS) 755

S

Saliva:
Parotid, inorganic constituents, blood serum composition, relation (DE BEER and WILSON) 671
Silica:
Determination, micro gravimetric, tissue (MORGAN and KING) 613
Tissue, determination, micro gravimetric (MORGAN and KING) 613
Soaps:
Calcium, absorption (BOYD, CRUM, and LYMAN) 29
Sodium formate:
Oxidation, catalytic (DEGERING) 409
Soy bean:
See Bean.
Spinasterol:
(HART and HEYL) 311
Esters (HART and HEYL) 311
Starch:
Hydrolysis, light effect. II (NAVEZ and RUBENSTEIN) 645
Sugar(s):
Determination, plant extracts (PHILLIPS) 735
Free, muscle, adrenalin effect (BISCHOFF and LONG) 743

Sugar(s)—*continued:*
Plant extracts, determination (PHILLIPS) 735
Sulfate:
Solutions, hemoglobin solubility (GREEN) 47
Sulfonic acids:
Thiol acids and, from dithio acids, mechanism. II (PREISLER and PREISLER) 181
— — —, — dithio acids, mercuric salts action (PREISLER and PREISLER) 181
Sulfur:
Lability, cysteine and derivatives. II (NICOLET) 389

T

Thiol acids:
Sulfonic acids and, from dithio acids, mechanism. II (PREISLER and PREISLER) 181
— — —, — dithio acids, mercuric salts action (PREISLER and PREISLER) 181
Thyroid:
Gland, iodine, anterior pituitary substances, influence (SCHOCKAERT and FOSTER) 89
Thyroxine determination (LELAND and FOSTER) 165
Thyroxine:
Determination, thyroid (LELAND and FOSTER) 165
Thyroxine—*continued:*
Thyroid, determination (LELAND and FOSTER) 165
Tissue:
Silica determination, micro gravimetric (MORGAN and KING) 613
Titration constant:
Glycyl-tyrosine (GREENSTEIN) 465
Tyrosyl-tyrosine (GREENSTEIN) 465
Tricaprin:
Metabolism (POWELL) 43
Tyrosine:
Cocoons (SILBERMAN and LEWIS) 491
Glycyl-, titration constants (GREENSTEIN) 465
Tyrosyl-, titration constants (GREENSTEIN) 465
Tyrosyl-tyrosine:
Titration constants (GREENSTEIN) 465

U

Urea:
Nitrogen partition, urine, endogenous nitrogen level, effect (KOCHER and TORBERT) 427
Uric acid:
Determination, urine (CHRISTMAN and RAVWITCH) 115
Urine, determination (CHRISTMAN and RAVWITCH) 115
Urine:
Nitrogen partition, urea effect (KOCHER and TORBERT) 427

Urine—*continued:*
Uric acid determination (CHRISTMAN and RAVWITCH) 115

V

Van Slyke:
Nitrogen distribution method, modification (CAVETT) 335
Vitamin(s):
B_1 (LEVENE) 317
B_2 (LEVENE) 317
—. *See also* Vitamin G.
D, milk, irradiated, amount (SUPPLEE, HANFORD, DORCAS, and BECK) 687
—, —, —, formation rate (SUPPLEE, HANFORD, DORCAS, and BECK) 687
G, milk, protein-free, heat effect, varying hydrogen ion concentration (HALLIDAY) 371

W

Walden inversion:
XVII (LEVENE and MARKER) 153
Wheat:
Amino acid deficiency, growth effect (MITCHELL and SMUTS) 263
Winkler:
Titration, methylene blue (MARSH) 25

X

Xanthylic acid:
Ribosephosphoric acid from (LEVENE and HARRIS) 755